



TAC Rockford gauges are used for inspection of steep taper spindle tapers per CAT, ISO, JIS, DIN, etc.

Gauges include a certificate showing actual dimensions, as well as a padded carrying case.

Sizes 30, 40, and 50 include a tolerance step for indicating high/low limit.


Manufactured per DIN 2079. For sizes 10, 15, 20, and 25, please provide us with the gauge diameter of the spindle to be inspected.

Taper	Part Number
Steep Taper 30	430.100.830.000
Steep Taper 35	430.100.835.000
Steep Taper 40	430.100.840.000
Steep Taper 45	430.100.845.000
Steep Taper 50	430.100.850.000
Steep Taper 55	430.100.855.000
Steep Taper 60	430.100.860.000
Steep Taper 65	430.100.865.000
Spindle Gauge (ISO) 10 and Length	430.100.A10.000
Spindle Gauge (ISO) 15 and Length	430.100.A15.000
Spindle Gauge (ISO) 20 and Length	430.100.A20.000
Spindle Gauge (ISO) 25 and Length	430.100.A25.000

Preventive Maintenance Gauges

Dimensional Gauges, Balancing Masters, Coolant Supply Gauges, Center Height/Master Setting, Tool Changer Alignment Gauges, Machine Set-up Gauges. Also ask us about custom gauges and personalized solutions for your machine or machine tool.

Runout Test Arbors



Available for all major machine tapers, including CAT/DIN/BT Steep Taper, HSK, Capto, KM, Morse, and others.

Chuck Force Gauges



Measure chuck jaw clamping force at high speeds. Also available for other chuck measuring applications.

Drawbar Force Gauges



Measure tool clamping force to protect spindles and ensure machining accuracy.

Custom Machine Tool Gauges

Any gauge for any machine or machine tool.

