




Product Information

- Balancing quality G6.3 at 15,000 rpm
- MQL suitable
- For tool shank tolerance h6
- To DIN 69882-8
- Also available in the lengths $l_1 = 120$ mm and 160 mm (concentricity 5 micro meters)

Scope of Delivery

- Includes setting screw
- For conventional cooling, order coolant delivery set separately
- For MQL application order as special tool holder with coolant delivery set and screw
- Special dimensions on request

Taper (d3)	Length (l1)	Ø h6 (d1)	Part Number
HSK-A 63	80	3	683.736.003.063
HSK-A 63	80	4	683.736.004.063
HSK-A 63	80	5	683.736.005.063
HSK-A 32	70	6	683.736.006.032
HSK-A 40	80	6	683.736.006.040
HSK-A 50	80	6	683.736.006.050
HSK-A 63	80	6	683.736.006.063
HSK-A 80	85	6	683.736.006.080
HSK-A 100	85	6	683.736.006.100
HSK-A 32	70	8	683.736.008.032
HSK-A 40	80	8	683.736.008.040
HSK-A 50	80	8	683.736.008.050
HSK-A 63	80	8	683.736.008.063
HSK-A 80	85	8	683.736.008.080
HSK-A 100	85	8	683.736.008.100
HSK-A 32	75	10	683.736.010.032
HSK-A 40	80	10	683.736.010.040



Taper (d3)	Length (l1)	Ø h6 (d1)	Part Number
HSK-A 50	85	10	683.736.010.050
HSK-A 63	85	10	683.736.010.063
HSK-A 80	90	10	683.736.010.080
HSK-A 100	90	10	683.736.010.100
HSK-A 32	80	12	683.736.012.032
HSK-A 40	90	12	683.736.012.040
HSK-A 50	90	12	683.736.012.050
HSK-A 63	90	12	683.736.012.063
HSK-A 80	95	12	683.736.012.080
HSK-A 100	95	12	683.736.012.100
HSK-A 40	90	14	683.736.014.040
HSK-A 50	90	14	683.736.014.050
HSK-A 63	90	14	683.736.014.063
HSK-A 80	95	14	683.736.014.080
HSK-A 100	95	14	683.736.014.100
HSK-A 40	90	16	683.736.016.040
HSK-A 50	95	16	683.736.016.050
HSK-A 63	95	16	683.736.016.063
HSK-A 80	100	16	683.736.016.080
HSK-A 100	100	16	683.736.016.100
HSK-A 50	95	18	683.736.018.050
HSK-A 63	95	18	683.736.018.063
HSK-A 80	100	18	683.736.018.080
HSK-A 100	100	18	683.736.018.100
HSK-A 50	100	20	683.736.020.050
HSK-A 63	100	20	683.736.020.063
HSK-A 80	105	20	683.736.020.080
HSK-A 100	105	20	683.736.020.100
HSK-A 63	115	25	683.736.025.063
HSK-A 80	115	25	683.736.025.080
HSK-A 100	115	25	683.736.025.100
HSK-A 63	120	32	683.736.032.063
HSK-A 80	120	32	683.736.032.080
HSK-A 100	120	32	683.736.032.100
HSK-A 63	160	3	683.736.103.063
HSK-A 63	160	4	683.736.104.063
HSK-A 63	160	5	683.736.105.063
HSK-A 63	160	6	683.736.106.063
HSK-A 80	160	6	683.736.106.080
HSK-A 100	160	6	683.736.106.100
HSK-A 63	160	8	683.736.108.063
HSK-A 80	160	8	683.736.108.080
HSK-A 100	160	8	683.736.108.100




Taper (d3)	Length (l1)	Ø h6 (d1)	Part Number
HSK-A 63	160	10	683.736.110.063
HSK-A 80	160	10	683.736.110.080
HSK-A 100	160	10	683.736.110.100
HSK-A 63	160	12	683.736.112.063
HSK-A 80	160	12	683.736.112.080
HSK-A 100	160	12	683.736.112.100
HSK-A 63	160	14	683.736.114.063
HSK-A 80	160	14	683.736.114.080
HSK-A 100	160	14	683.736.114.100
HSK-A 63	160	16	683.736.116.063
HSK-A 80	160	16	683.736.116.080
HSK-A 100	160	16	683.736.116.100
HSK-A 63	160	18	683.736.118.063
HSK-A 80	160	18	683.736.118.080
HSK-A 100	160	18	683.736.118.100
HSK-A 63	160	20	683.736.120.063
HSK-A 80	160	20	683.736.120.080
HSK-A 100	160	20	683.736.120.100
HSK-A 63	160	25	683.736.125.063
HSK-A 80	160	25	683.736.125.080
HSK-A 100	160	25	683.736.125.100
HSK-A 63	160	32	683.736.132.063
HSK-A 80	160	32	683.736.132.080
HSK-A 100	160	32	683.736.132.100
HSK-A 63	120	3	683.736.203.063
HSK-A 63	120	4	683.736.204.063
HSK-A 63	120	5	683.736.205.063
HSK-A 63	120	6	683.736.206.063
HSK-A 63	120	8	683.736.208.063
HSK-A 63	120	10	683.736.210.063
HSK-A 63	120	12	683.736.212.063

Available for HSK-A 32, 40, 50, 63, 80, 100

TAC Rockford Product Line

Machine Tool Gauges, Tool Changer Alignment, Runout Test Arbors, Workholding Systems, Tool Holders, Adapters and Extensions, Tool Holder Blanks, Machine Tool Accessories, Coolant Tubes and Gauges, Heat Shrink Systems, Rapid Prototyping


Tool Holders



Gauges



Accessories



Rapid Prototyping

