

Standard unit offers simultaneous measurement of HSK taper dimensions d_2 and d_k . Additional available options include:


- Tool change flange verification (d_{11}/f_3)
- 30 deg. clamping angle and knockout surface verification (d_5/l_5 and l_6)
- Runout verification (A, B, C)

Taper	Diameter	Part Number
HSK-A/C/E 25	19	410.211.125.000
HSK-A/C/E 32	24	410.211.132.000
HSK-A/C/E 40	30	410.211.140.000
HSK-A/C/E 50	38	410.211.150.000
HSK-A/C/E 63	48	410.211.163.000
HSK-A/C/E 80	60	410.211.180.000
HSK-A/C/E 100	75	410.211.190.000

Preventive Maintenance Gauges

Dimensional Gauges, Balancing Masters, Coolant Supply Gauges, Center Height/Master Setting, Tool Changer Alignment Gauges, Machine Set-up Gauges. Also ask us about custom gauges and personalized solutions for your machine or machine tool.

Runout Test Arbors



Available for all major machine tapers, including CAT/DIN/BT Steep Taper, HSK, Capto, KM, Morse, and others.

Chuck Force Gauges



Measure chuck jaw clamping force at high speeds. Also available for other chuck measuring applications.

Drawbar Force Gauges



Measure tool clamping force to protect spindles and ensure machining accuracy.

Custom Machine Tool Gauges

Any gauge for any machine or machine tool.

