

Product Information

- Balancing quality: G6.3 / 15,000 rpm.
- MQL suitable.
- axial length setting.
- clamping diameter for shank tolerance h6.
- To DIN 69 882-7.
- Also available in the overlength l_1 150 mm und 200 mm.

Scope of Delivery

- Includes setting screw.
- Includes clamping key.
- For conventional cooling, order coolant delivery set separately.
- For MQL application, order as special tool holder with coolant delivery set, and setting screw.

Taper (d3)	Length (l1)	Ø h6 (d1)	Part Number
HSK-A 32	80	6	683.4399.006.032
HSK-A 40	70	6	683.4399.006.040
HSK-A 50	70	6	683.4399.006.050
HSK-A 63	70	6	683.4399.006.063
HSK-A 80	70	6	683.4399.006.080
HSK-A 100	75	6	683.4399.006.100
HSK-A 63	150	6	683.4399.006.163
HSK-A 63	200	6	683.4399.006.263
HSK-A 32	80	8	683.4399.008.032
HSK-A 40	70	8	683.4399.008.040
HSK-A 50	70	8	683.4399.008.050
HSK-A 63	70	8	683.4399.008.063
HSK-A 80	70	8	683.4399.008.080
HSK-A 100	75	8	683.4399.008.100
HSK-A 63	150	8	683.4399.008.163



Taper (d3)	Length (l1)	Ø h6 (d1)	Part Number
HSK-A 63	200	8	683.4399.008.263
HSK-A 32	85	10	683.4399.010.032
HSK-A 40	75	10	683.4399.010.040
HSK-A 50	75	10	683.4399.010.050
HSK-A 63	80	10	683.4399.010.063
HSK-A 80	80	10	683.4399.010.080
HSK-A 100	90	10	683.4399.010.100
HSK-A 63	150	10	683.4399.010.163
HSK-A 63	200	10	683.4399.010.263
HSK-A 32	90	12	683.4399.012.032
HSK-A 40	80	12	683.4399.012.040
HSK-A 50	85	12	683.4399.012.050
HSK-A 63	85	12	683.4399.012.063
HSK-A 80	85	12	683.4399.012.080
HSK-A 100	95	12	683.4399.012.100
HSK-A 63	150	12	683.4399.012.163
HSK-A 63	200	12	683.4399.012.263
HSK-A 50	85	14	683.4399.014.050
HSK-A 63	85	14	683.4399.014.063
HSK-A 80	85	14	683.4399.014.080
HSK-A 100	95	14	683.4399.014.100
HSK-A 63	150	14	683.4399.014.163
HSK-A 63	200	14	683.4399.014.263
HSK-A 50	90	16	683.4399.016.050
HSK-A 63	90	16	683.4399.016.063
HSK-A 80	95	16	683.4399.016.080
HSK-A 100	100	16	683.4399.016.100
HSK-A 63	150	16	683.4399.016.163
HSK-A 63	200	16	683.4399.016.263
HSK-A 50	90	18	683.4399.018.050
HSK-A 63	90	18	683.4399.018.063
HSK-A 80	95	18	683.4399.018.080
HSK-A 100	100	18	683.4399.018.100
HSK-A 63	150	18	683.4399.018.163
HSK-A 63	200	18	683.4399.018.263
HSK-A 50	90	20	683.4399.020.050
HSK-A 63	90	20	683.4399.020.063
HSK-A 80	95	20	683.4399.020.080




Taper (d3)	Length (l1)	Ø h6 (d1)	Part Number
HSK-A 100	105	20	683.4399.020.100
HSK-A 63	150	20	683.4399.020.163
HSK-A 63	200	20	683.4399.020.263
HSK-A 63	120	25	683.4399.025.063
HSK-A 80	110	25	683.4399.025.080
HSK-A 100	110	25	683.4399.025.100
HSK-A 63	125	32	683.4399.032.063
HSK-A 80	125	32	683.4399.032.080
HSK-A 100	110	32	683.4399.032.100

Available for HSK-A 32


TAC Rockford Product Line

Machine Tool Gauges, Tool Changer Alignment, Runout Test Arbors, Workholding Systems, Tool Holders, Adapters and Extensions, Tool Holder Blanks, Machine Tool Accessories, Coolant Tubes and Gauges, Heat Shrink Systems, Rapid Prototyping


Tool Holders



Gauges



Accessories



Rapid Prototyping

